


WRIGHT COUNTY SURVEYORS OFFICE
Public Works Building
Buffalo, Miss. 38315

SECTION 12 TOWNSHIP 118 RANGE 28



REMARKS

THE INFORMATION SHOWN HEREON IS A COMPILATION OF WRIGHT COUNTY RECORDS AND IS INTENDED TO BE USED FOR COMPARISON PURPOSES ONLY. THE COUNTY IS NOT RESPONSIBLE FOR ANY INACCURACIES HEREIN CONTAINED.

==== COGO =====

Saturday November 12, 1994

9:38 AM

Coordinate File Name: SEC-12.CRD Lowest pt #: 1 Highest pt #: 100
Job # : 93-02
Description: COUNTY COORDINATES SECTION 12-118-28
of chars. in point descr.: 10

FROM TYPE BEARING DISTANCE TO NORTHING EASTING

LIST POINTS

POINT	NORTHING	EASTING	ELEVATION	DESCR
11	121439.356	429787.932		SW COR
13	122724.323	429801.965		
15	124009.290	429815.998		W1/4
17	125294.257	429830.031		
19	126579.225	429844.064		NW COR
31	121476.458	431115.800		
33	122768.057	431125.932		
35	124059.657	431136.064		
37	125350.668	431146.193		
39	126641.680	431156.322		
51	121513.560	432443.667		S1/4
53	122811.792	432449.898		
55	124110.024	432456.129		
57	125407.079	432462.354		
59	126704.135	432468.580		N1/4
71	121550.662	433771.535		
73	122855.518	433773.639		
75	124160.373	433775.742		
77	125462.202	433781.583		
79	126764.031	433787.424		
91	121587.765	435099.403		SE COR
93	122899.244	435097.379		
95	124210.723	435095.355		E1/4
97	125517.325	435100.811		
99	126823.926	435106.267		NE COR

START					11	121439.356	429787.932	SW COR
11	INV N	0-37-32.5 E	2570.088	15	124009.290	429815.998	W1/4	
15	INV N	0-37-32.5 E	2570.088	19	126579.225	429844.064	NW COR	
19	INV N	87-16-30.5 E	2627.486	59	126704.135	432468.580	N1/4	
59	INV N	87-23-58.8 E	2640.407	99	126823.926	435106.267	NE COR	
99	INV S	0-14-21.4 W	2613.226	95	124210.723	435095.355	E1/4	
95	INV S	0-05-18.3 E	2622.961	91	121587.765	435099.403	SE COR	
91	INV S	88-23-58.2 W	2656.772	51	121513.560	432443.667	S1/4	
51	INV S	88-23-58.2 W	2656.772	11	121439.356	429787.932	SW COR	

START					51	121513.560	432443.667	S1/4
51	INV N	0-16-30.0 E	2596.494	55	124110.024	432456.129		
55	INV N	0-16-30.0 E	2594.141	59	126704.135	432468.580	N1/4	
START					15	124009.290	429815.998	W1/4
15	INV N	87-48-53.8 E	2642.052	55	124110.024	432456.129		
55	INV N	87-48-53.8 E	2641.146	95	124210.723	435095.355	E1/4	

POINT-POINT ANGLES

ANGLE	51 -	11 -	15:	C.W.	272-13-34.3	C.C.W.	87-46-25.7	2570.088
ANGLE	11 -	15 -	19:	C.W.	180-00-00.0	C.C.W.	180-00-00.0	2570.088
ANGLE	15 -	19 -	59:	C.W.	266-38-58.0	C.C.W.	93-21-02.0	2627.486
ANGLE	19 -	59 -	99:	C.W.	180-07-28.3	C.C.W.	179-52-31.7	2640.407
ANGLE	59 -	99 -	95:	C.W.	272-50-22.5	C.C.W.	87-09-37.5	2613.226
ANGLE	99 -	95 -	91:	C.W.	179-40-20.3	C.C.W.	180-19-39.7	2622.961
ANGLE	95 -	91 -	51:	C.W.	268-29-16.5	C.C.W.	91-30-43.5	2656.772
ANGLE	91 -	51 -	11:	C.W.	180-00-00.0	C.C.W.	180-00-00.0	2656.772