


Sec

WRIGHT COUNTY SURVEYORS OFFICE

Public Works Building
Buffalo, Minn. 55313

SECTION: 24 TOWNSHIP 118 RANGE 28



REMARKS

THE INFORMATION SHOWN HEREON IS A COMPILATION OF WRIGHT COUNTY RECORDS AND IS INTENDED TO BE USED FOR COMPARISON PURPOSES ONLY. THE COUNTY IS NOT RESPONSIBLE FOR ANY INACCURACIES HEREIN CONTAINED.

COGO =====

Monday November 14, 1994

2:44 PM

Coordinate File Name: SEC-24.CRD Lowest pt #: 1 Highest pt #: 100
Job # : 93-02
Description: COUNTY COORDINATES SECTION 24-118-28
of chars. in point descr.: 10

FROM TYPE	BEARING	DISTANCE	TO	NORTHING	EASTING

LIST POINTS					
POINT	NORTHING	EASTING	ELEVATION	DESCR	

11	110895.539	429710.017		SW COR	
13	112216.731	429755.294			
15	113537.923	429800.570		W1/4	
17	114855.783	429835.654			
19	116173.644	429870.739		NW COR	
31	110868.349	431031.516			
33	112223.371	431074.394			
35	113578.393	431117.271			
37	114870.573	431153.270			
39	116162.753	431189.268			
51	110841.159	432353.015		S1/4	
53	112230.011	432393.494			
55	113618.863	432433.972			
57	114885.363	432470.885			
59	116151.863	432507.797		N1/4	
71	110952.964	433712.224			
73	112306.301	433736.388			
75	113659.637	433760.551			
77	114946.356	433785.261			
79	116233.074	433809.970			
91	111064.769	435071.432		SE COR	
93	112382.590	435079.281			
95	113700.411	435087.130		E1/4	
97	115007.348	435099.636			
99	116314.285	435112.142		NE COR	

START									
	11	INV N	1-57-45.8 E	2643.935	11	110895.539	429710.017	SW COR	
	15	INV N	1-31-30.0 E	2636.655	15	113537.923	429800.570	W1/4	
	19	INV S	89-31-36.4 E	2637.148	19	116173.644	429870.739	NW COR	
	59	INV N	89-31-36.4 E	2637.148	59	116151.863	432507.797	N1/4	
	99	INV N	86-25-52.8 E	2609.405	99	116314.285	435112.142	NE COR	
	99	INV S	0-32-53.6 W	2613.994	95	113700.411	435087.130	E1/4	
	95	INV S	0-20-28.5 W	2635.689	91	111064.769	435071.432	SE COR	
	91	INV S	85-17-51.3 W	2727.598	51	110841.159	432353.015	S1/4	
	51	INV N	88-49-16.7 W	2643.557	11	110895.539	429710.017	SW COR	

START					51	110841.159	432353.015	S1/4	
	51	INV N	1-40-09.9 E	2778.884	55	113618.863	432433.972		
	55	INV N	1-40-09.9 E	2534.075	59	116151.863	432507.797	N1/4	
START					15	113537.923	429800.570	W1/4	
	15	INV N	88-14-22.2 E	2634.646	55	113618.863	432433.972		
	55	INV N	88-14-22.2 E	2654.411	95	113700.411	435087.130	E1/4	

POINT-POINT ANGLES

ANGLE	51 -	11 -	15:	C.W.	270-47-02.5	C.C.W.	89-12-57.5	2643.935
ANGLE	11 -	15 -	19:	C.W.	179-33-44.2	C.C.W.	180-26-15.8	2636.655
ANGLE	15 -	19 -	59:	C.W.	268-56-53.6	C.C.W.	91-03-06.4	2637.148
ANGLE	19 -	59 -	99:	C.W.	175-57-29.2	C.C.W.	184-02-30.8	2609.405
ANGLE	59 -	99 -	95:	C.W.	274-07-00.9	C.C.W.	85-52-59.1	2613.994
ANGLE	99 -	95 -	91:	C.W.	179-47-34.9	C.C.W.	180-12-25.1	2635.689
ANGLE	95 -	91 -	51:	C.W.	264-57-22.8	C.C.W.	95-02-37.2	2727.598
ANGLE	91 -	51 -	11:	C.W.	185-52-52.0	C.C.W.	174-07-08.0	2643.557

Coordinates stored Monday November 14, 1994 2:46 PM