


WRIGHT COUNTY SURVEYORS OFFICE

Public Works Building
Buffalo, Minn. 56313

SECTION: 25 TOWNSHIP 118 RANGE 28



REMARKS

THE INFORMATION SHOWN HEREON IS A COMPILATION OF WRIGHT COUNTY RECORDS AND IS INTENDED TO BE USED FOR COMPARISON PURPOSES ONLY. THE COUNTY IS NOT RESPONSIBLE FOR ANY INACCURACIES HEREIN CONTAINED.

===== COGO =====

Monday November 14, 1994

3:19 PM

Coordinate File Name: SEC-25.CRD Lowest pt #: 1 Highest pt #: 100
Job # : 93-02
Description: COUNTY COORDINATES SECTION 25-118-28
of chars. in point descr.: 10

FROM	TYPE	BEARING	DISTANCE	TO	NORTHING	EASTING

LIST POINTS						
POINT		NORTHING	EASTING	ELEVATION	DESCR	

11		105595.479	429715.507		SW COR	
13		106916.293	429705.820			
15		108237.106	429696.133		W1/4	
17		109566.323	429703.075			
19		110895.539	429710.017		NW COR	
31		105659.732	431053.202			
33		106975.206	431043.509			
35		108290.681	431033.816			
37		109579.515	431032.666			
39		110868.349	431031.516			
51		105723.985	432390.897		S1/4	
53		107034.120	432381.198			
55		108344.255	432371.500			
57		109592.707	432362.257			
59		110841.159	432353.015		N1/4	
71		105784.829	433727.490			
73		107091.505	433722.737			
75		108398.181	433717.985			
77		109675.573	433715.104			
79		110952.964	433712.224			
91		105845.672	435064.083		SE COR	
93		107148.890	435064.276			
95		108452.108	435064.470		E1/4	
97		109758.439	435067.951			
99		111064.769	435071.432		NE COR	

ART						105595.479	429715.507	SW COR
11	INV N	0-25-12.8	W	2641.698	15	108237.106	429696.133	W1/4
15	INV N	0-17-57.3	E	2658.469	19	110895.539	429710.017	NW COR
19	INV S	88-49-16.7	E	2643.557	59	110841.159	432353.015	N1/4
59	INV N	85-17-51.3	E	2727.598	99	111064.769	435071.432	NE COR
99	INV S	0-09-09.7	W	2612.671	95	108452.108	435064.470	E1/4
95	INV S	0-00-30.6	W	2606.436	91	105845.672	435064.083	SE COR
91	INV S	87-23-37.0	W	2675.954	51	105723.985	432390.897	S1/4
51	INV S	87-15-00.2	W	2678.474	11	105595.479	429715.507	SW COR

START					51	105723.985	432390.897	S1/4
51	INV N	0-25-26.9	W	2620.342	55	108344.255	432371.500	
55	INV N	0-25-26.9	W	2496.973	59	110841.159	432353.015	N1/4
START					15	108237.106	429696.133	W1/4
15	INV N	87-42-23.5	E	2677.512	55	108344.255	432371.500	
55	INV N	87-42-23.5	E	2695.129	95	108452.108	435064.470	E1/4

POINT-POINT ANGLES

ANGLE	51 -	11 -	15:	C.W.	272-19-47.0	C.C.W.	87-40-13.0	2641.698
ANGLE	11 -	15 -	19:	C.W.	180-43-10.1	C.C.W.	179-16-49.9	2658.469
ANGLE	15 -	19 -	59:	C.W.	270-52-46.0	C.C.W.	89-07-14.0	2643.557
ANGLE	19 -	59 -	99:	C.W.	174-07-08.0	C.C.W.	185-52-52.0	2727.598
ANGLE	59 -	99 -	95:	C.W.	274-51-18.4	C.C.W.	85-08-41.6	2612.671
ANGLE	99 -	95 -	91:	C.W.	179-51-20.9	C.C.W.	180-08-39.1	2606.436
ANGLE	95 -	91 -	51:	C.W.	267-23-06.4	C.C.W.	92-36-53.6	2675.954
ANGLE	91 -	51 -	11:	C.W.	179-51-23.2	C.C.W.	180-08-36.8	2678.474

Coordinates stored Monday November 14, 1994 3:20 PM