


WRIGHT COUNTY SURVEYORS OFFICE

Public Works Building
Buffalo, Minn. 56513

SECTION 26 TOWNSHIP 118 RANGE 28



REMARKS

THE INFORMATION SHOWN HEREON IS A COMPILATION OF WRIGHT COUNTY RECORDS AND IS INTENDED TO BE USED FOR COMPARISON PURPOSES ONLY. THE COUNTY IS NOT RESPONSIBLE FOR ANY INACCURACIES HEREIN CONTAINED.

COGO =====

Monday November 14, 1994

3:59 PM

Coordinate File Name: SEC-26.CRD Lowest pt #: 1 Highest pt #: 100
Job # : 93-02
Description: COUNTY COORDINATES SECTION 26-118-28
of chars. in point descr.: 10

FROM TYPE BEARING DISTANCE TO NORTHING EASTING

LIST POINTS

POINT	NORTHING	EASTING	ELEVATION	DESCR
11	105639.967	424445.491		SW COR
13	106961.269	424443.580		
15	108282.572	424441.669		W1/4
17	109602.056	424414.151		
19	110921.540	424386.632		NW COR
31	105624.533	425763.209		
33	106947.849	425761.602		
35	108271.165	425759.996		
37	109590.334	425745.589		
39	110909.502	425731.182		
51	105609.099	427080.926		S1/4
53	106934.428	427079.624		
55	108259.758	427078.322		
57	109578.611	427077.027		
59	110897.464	427075.731		N1/4
71	105602.289	428398.217		
73	106925.361	428392.722		
75	108248.432	428387.228		
77	109572.467	428390.051		
79	110896.501	428392.874		
91	105595.479	429715.507		SE COR
93	106916.293	429705.820		
95	108237.106	429696.133		E1/4
97	109566.323	429703.075		
99	110895.539	429710.017		NE COR

START					11	105639.967	424445.491	SW COR
11	INV N	0-04-58.3	W	2642.608	15	108282.572	424441.669	W1/4
15	INV N	1-11-41.2	W	2639.542	19	110921.540	424386.632	NW COR
19	INV S	89-29-13.3	E	2689.207	59	110897.464	427075.731	N1/4
59	INV S	89-57-29.3	E	2634.287	99	110895.539	429710.017	NE COR
99	INV S	0-17-57.3	W	2658.469	95	108237.106	429696.133	E1/4
95	INV S	0-25-12.8	E	2641.698	91	105595.479	429715.507	SE COR
91	INV N	89-42-13.7	W	2634.616	51	105609.099	427080.926	S1/4
51	INV N	89-19-44.2	W	2635.616	11	105639.967	424445.491	SW COR

START					51	105609.099	427080.926	S1/4
51	INV N	0-03-22.6	W	2650.660	55	108259.758	427078.322	
55	INV N	0-03-22.6	W	2637.707	59	110897.464	427075.731	N1/4
START					15	108282.572	424441.669	W1/4
15	INV S	89-30-15.3	E	2636.752	55	108259.758	427078.322	
55	INV S	89-30-15.3	E	2617.908	95	108237.106	429696.133	E1/4

POINT-POINT ANGLES

ANGLE	51 -	11 -	15:	C.W.	269-14-45.9	C.C.W.	90-45-14.1	2642.608
ANGLE	11 -	15 -	19:	C.W.	178-53-17.1	C.C.W.	181-06-42.9	2639.542
ANGLE	15 -	19 -	59:	C.W.	271-42-27.9	C.C.W.	88-17-32.1	2689.207
ANGLE	19 -	59 -	99:	C.W.	179-31-44.0	C.C.W.	180-28-16.0	2634.287
ANGLE	59 -	99 -	95:	C.W.	270-15-26.6	C.C.W.	89-44-33.4	2658.469
ANGLE	99 -	95 -	91:	C.W.	179-16-49.9	C.C.W.	180-43-10.1	2641.698
ANGLE	95 -	91 -	51:	C.W.	270-42-59.1	C.C.W.	89-17-00.9	2634.616
ANGLE	91 -	51 -	11:	C.W.	180-22-29.4	C.C.W.	179-37-30.6	2635.616

Coordinates stored

Monday November 14, 1994

4:00 PM