


**WRIGHT COUNTY SURVEYORS OFFICE**  
Public Works Building  
Buffalo, Minn. 55313

**SECTION:** 34 **TOWNSHIP** 118 **RANGE** 28



**REMARKS**

---

---

---

THE INFORMATION SHOWN HEREON IS A COMPILATION OF WRIGHT COUNTY RECORDS AND IS INTENDED TO BE USED FOR COMPARISON PURPOSES ONLY. THE COUNTY IS NOT RESPONSIBLE FOR ANY INACCURACIES HEREIN CONTAINED.

===== COGO =====

Thursday November 17, 1994

2:22 PM

Coordinate File Name: SEC-34.CRD    Lowest pt #:    1    Highest pt #:    100  
Job #                : 93-02  
Description: COUNTY COORDINATES SECTION 34-118-28  
# of chars. in point descr.: 10

-----  
FROM TYPE                BEARING    DISTANCE    TO            NORTHING            EASTING  
-----

LIST POINTS

POINT	NORTHING	EASTING	ELEVATION	DESCR
11	100701.035	419233.561		SW COR
13	101972.588	419118.455		
15	103244.141	419003.349		W1/4
17	104515.572	418888.289		
19	105787.003	418773.228		NW COR
31	100680.791	420543.433		
33	101961.654	420479.693		
35	103242.518	420415.953		
37	104489.292	420352.562		
39	105736.066	420289.171		
51	100660.547	421853.306		S1/4
53	101950.721	421840.932		
55	103240.895	421828.557		
57	104463.012	421816.835		
59	105685.128	421805.114		N1/4
71	100640.059	423175.091		
73	101939.729	423153.217		
75	103239.398	423131.343		
77	104450.973	423128.323		
79	105662.547	423125.302		
91	100619.572	424496.877		SE COR
93	101928.737	424465.502		
95	103237.902	424434.128		E1/4
97	104438.934	424439.810		
99	105639.967	424445.491		NE COR

START					11	100701.035	419233.561	SW COR
11	INV N	5-10-21.1	W	2553.504	15	103244.141	419003.349	W1/4
15	INV N	5-10-15.6	W	2553.254	19	105787.003	418773.228	NW COR
19	INV S	88-04-31.9	E	3033.597	59	105685.128	421805.114	N1/4
59	INV S	89-01-12.3	E	2640.764	99	105639.967	424445.491	NE COR
99	INV S	0-16-15.7	W	2402.092	95	103237.902	424434.128	E1/4
95	INV S	1-22-22.2	E	2619.082	91	100619.572	424496.877	SE COR
91	INV N	89-06-43.2	W	2643.888	51	100660.547	421853.306	S1/4
51	INV N	89-06-52.4	W	2620.058	11	100701.035	419233.561	SW COR

START					51	100660.547	421853.306	S1/4
51	INV N	0-32-58.3	W	2580.467	55	103240.895	421828.557	
55	INV N	0-32-58.3	W	2444.346	59	105685.128	421805.114	N1/4
START					15	103244.141	419003.349	W1/4
15	INV S	89-56-03.1	E	2825.210	55	103240.895	421828.557	
55	INV S	89-56-03.1	E	2605.573	95	103237.902	424434.128	E1/4

POINT-POINT ANGLES

ANGLE	51 -	11 -	15:	C.W.	263-56-31.3	C.C.W.	96-03-28.7	2553.504
ANGLE	11 -	15 -	19:	C.W.	180-00-05.5	C.C.W.	179-59-54.5	2553.254
ANGLE	15 -	19 -	59:	C.W.	277-05-43.7	C.C.W.	82-54-16.3	3033.597
ANGLE	19 -	59 -	99:	C.W.	179-03-19.5	C.C.W.	180-56-40.5	2640.764
ANGLE	59 -	99 -	95:	C.W.	269-17-28.1	C.C.W.	90-42-31.9	2402.092
ANGLE	99 -	95 -	91:	C.W.	178-21-22.1	C.C.W.	181-38-37.9	2619.082
ANGLE	95 -	91 -	51:	C.W.	272-15-39.1	C.C.W.	87-44-20.9	2643.888
ANGLE	91 -	51 -	11:	C.W.	179-59-50.7	C.C.W.	180-00-09.3	2620.058