



## Residing Requirements

**\*\* building permits & inspections required \*\***

**MSBC R703.8 Flashing:** approved corrosion resistant flashing required:

- exterior window and door openings
- at intersection of chimneys or other masonry construction
- masonry, wood or metal copings and sills
- all projecting wood trim
- ledgers at porches, decks and stairs
- at wall and roof intersections (kick-out flashing-MSBC R903.2.2)
- built-in gutters
- where exterior finish material meets in other than a vertical line

**MSBC Table R703.4:**

- weather-resistive barrier required behind all exterior finish systems

**MSBC R703.11 Vinyl siding:**

- must meet **ASTM D 3679**
- must be installed in accordance with manufacturers' installation instructions

**MSBC 1322.1101 IRC section 1102.6.1:**

- when more than 50% of the cladding is replaced, a combustion air is required  
**exception:** building is equipped with monoxide detectors in compliance with statues 299F.50 to 299F.51

Contact a Wright County building inspector for specific code requirements related to other siding types (i.e., stucco, brick, wood, panel, shakes, etc.).

**\*\* call for inspection when siding application begins \*\***

Schedule inspection "during" installation of siding on first wall to verify weather resistive barrier and exterior flashing have been/will be installed properly. Provide siding manufacturer's installation instructions.

Schedule final inspection when project has been completed.

**To schedule inspections, please have permit number, owner's name, and project address ready before calling:  
763-682-7338**